


REDDY

SMA-001.1D
INEXPENSIVE, RELIABLE, PLANAR RFID TAG STRUCTURE AND METHOD FOR MAKING SAME




REDDY SMA-001.1D


INEXPENSIVE, RELIABLE, PLANAR METHOD FOR MAKING SAME **RFID TAG STRUCTURE AND**



10011653 111201




REDDY
SMA-001.1D
INEXPENSIVE, RELIABLE, PLANAR RFID TAG STRUCTURE AND METHOD FOR MAKING SAME



Inve Do

Title

INEXPENSIVE, RELIABLE, PLANAR METHOD FOR MAKING SAME **RFID TAG STRUCTURE AND**







Fig. 5



10011553


<u>|</u>-1

111111





Process Flow for Building EEPROM with Antenna on Top




F16.7




REDDY SMA-001.1D INEXPENSIVE, RELIABLE, PLANAR RFID TAG STRUCTURE AND

Title: METHOD FOR MAKING SAME




the antenna printed on top of the transistor; gate will be connected to the transistors (in actual devices multiple transistors and EEPROM will be connected to the contact pads)


F16. 8



Process Flow for Building EEPROM on Top of Antenna



F16.9



Schematic of a single EEPROM built on top of the printed antenna (in actual devices EEPROM and multiple transistors will be connected to the contact pads)

F16.10